

















NYLON SCREW HEAD STYLES

TO ORDER: COMBINE PART FROM BELOW & CODE FROM THE FOLLOWING PAGE

| PART | DESCRIPTION | HEAD STYLE |
|------|------------------------|---|
| S11 | BINDING HEAD SLOTTED |  |
| S12 | ROUND HEAD SLOTTED |  |
| S13 | FILLISTER HEAD SLOTTED |  |
| S14 | PAN HEAD SLOTTED |  |
| S16 | HEX HEAD UNSLOTTED |  |
| S17 | FLAT HEAD 82° SLOTTED |  |
| S18 | FLAT HEAD 100° SLOTTED |  |
| S19 | OVAL HEAD 82° SLOTTED |  |

| PART | DESCRIPTION | HEAD STYLE |
|------|---|---|
| S20 | WASHER HEAD SLOTTED |  |
| S21 | HEX WASHER HEAD SLOTTED |  |
| S26 | HEX HEAD SLOTTED |  |
| S46 | SLOTTED SET SCREW |  |
| S22 | COMB. HEX SOCKET/SLOTTED SET SCREW |  |
| S23 | PLAIN SLOTTED SET SCREW |  |
| S24 | OVAL PT. COMB. HEX SOCKET/SLOTTED SET SCREW |  |
| S27 | PLAIN PT. HEX SOCKET SET SCREW |  |

- Not all head styles available in all sizes
- Tolerances meet I.F.I. standards
- Also available in glass-filled nylon, polypropylene, ABS, polycarbonate, acetal, Isoplast.
- Phillips Drive available in some head styles

NYLON MOLDED SCREWS & SET SCREWS

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 001 | 00-90 | 1/2 |
| 002 | 0-80 | 3/32 |
| 003 | 0-80 | 1/8 |
| 004 | 0-80 | 3/16 |
| 005 | 0-80 | 7/32 |
| 006 | 0-80 | 1/4 |
| 007 | 0-80 | 9/32 |
| 008 | 0-80 | 3/8 |
| 009 | 0-80 | 7/16 |
| 010 | 0-80 | 1/2 |
| 011 | 0-80 | 17/32 |
| 012 | 1-72 | 1/8 |
| 013 | 1-72 | 1/4 |
| 014 | 1-72 | 9/32 |
| 015 | 1-72 | 5/16 |
| 016 | 1-72 | 3/8 |
| 017 | 1-72 | 7/16 |
| 018 | 1-72 | 1/2 |
| 019 | 1-72 | 9/16 |
| 020 | 2-56 | 1/8 |
| 021 | 2-56 | 3/16 |
| 022 | 2-56 | 1/4 |
| 023 | 2-56 | 9/32 |
| 024 | 2-56 | 5/16 |
| 025 | 2-56 | 3/8 |
| 026 | 2-56 | 1/2 |
| 027 | 2-56 | 5/8 |
| 028 | 2-56 | 21/32 |
| 029 | 2-56 | 3/4 |
| 030 | 2-56 | 25/32 |
| 031 | 2-56 | 1 |
| 032 | 3-48 | 1/8 |
| 033 | 3-48 | 5/32 |
| 034 | 3-48 | 3/16 |
| 035 | 3-48 | 1/4 |
| 036 | 3-48 | 9/32 |
| 037 | 3-48 | 3/4 |
| 038 | 4-40 | 1/8 |
| 039 | 4-40 | 5/32 |
| 040 | 4-40 | 3/16 |
| 041 | 4-40 | 1/4 |
| 042 | 4-40 | 5/16 |
| 043 | 4-40 | 11/32 |
| 044 | 4-40 | 3/8 |
| 045 | 4-40 | 7/16 |
| 046 | 4-40 | 1/2 |
| 047 | 4-40 | 9/16 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 048 | 4-40 | 5/8 |
| 049 | 4-40 | 3/4 |
| 050 | 4-40 | 7/8 |
| 051 | 4-40 | 29/32 |
| 052 | 4-40 | 1 |
| 053 | 5-40 | 1/4 |
| 054 | 5-40 | 3/8 |
| 055 | 6-40 | 3/8 |
| 056 | 6-32 | 3/32 |
| 057 | 6-32 | 1/8 |
| 058 | 6-32 | 3/16 |
| 059 | 6-32 | 1/4 |
| 060 | 6-32 | 5/16 |
| 061 | 6-32 | 3/8 |
| 062 | 6-32 | 7/16 |
| 063 | 6-32 | 1/2 |
| 064 | 6-32 | 9/16 |
| 065 | 6-32 | 5/8 |
| 066 | 6-32 | 11/16 |
| 067 | 6-32 | 3/4 |
| 068 | 6-32 | 1 |
| 069 | 6-32 | 1-1/8 |
| 070 | 6-32 | 1-1/4 |
| 071 | 6-32 | 1-1/2 |
| 072 | 6-32 | 1-3/4 |
| 073 | 8-32 | 1/8 |
| 074 | 8-32 | 3/16 |
| 075 | 8-32 | 1/4 |
| 076 | 8-32 | 5/16 |
| 077 | 8-32 | 3/8 |
| 078 | 8-32 | 7/16 |
| 079 | 8-32 | 1/2 |
| 080 | 8-32 | 5/8 |
| 081 | 8-32 | 3/4 |
| 082 | 8-32 | 7/8 |
| 083 | 8-32 | 1 |
| 084 | 8-32 | 1-1/8 |
| 085 | 8-32 | 1-1/4 |
| 086 | 8-32 | 1-1/2 |
| 087 | 8-32 | 1-3/4 |
| 088 | 8-32 | 2 |
| 089 | 10-24 | 1/8 |
| 090 | 10-24 | 3/16 |
| 091 | 10-24 | 1/4 |
| 092 | 10-24 | 5/16 |
| 093 | 10-24 | 3/8 |
| 094 | 10-24 | 1/2 |

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 095 | 10-24 | 5/8 |
| 096 | 10-24 | 3/4 |
| 097 | 10-24 | 1 |
| 098 | 10-24 | 1-1/4 |
| 099 | 10-24 | 1-1/2 |
| 100 | 10-24 | 1-3/4 |
| 101 | 10-32 | 1/8 |
| 102 | 10-32 | 3/16 |
| 103 | 10-32 | 1/4 |
| 104 | 10-32 | 5/16 |
| 105 | 10-32 | 3/8 |
| 106 | 10-32 | 1/2 |
| 107 | 10-32 | 5/8 |
| 108 | 10-32 | 11/16 |
| 109 | 10-32 | 3/4 |
| 110 | 10-32 | 13/16 |
| 111 | 10-32 | 7/8 |
| 112 | 10-32 | 1 |
| 113 | 10-32 | 1-1/4 |
| 114 | 10-32 | 1-1/2 |
| 115 | 10-32 | 1-3/4 |
| 116 | 10-32 | 2 |
| 117 | 1/4-20 | 1/4 |
| 118 | 1/4-20 | 5/16 |
| 119 | 1/4-20 | 3/8 |
| 120 | 1/4-20 | 7/16 |
| 121 | 1/4-20 | 1/2 |
| 122 | 1/4-20 | 5/8 |
| 123 | 1/4-20 | 3/4 |
| 124 | 1/4-20 | 13/16 |
| 125 | 1/4-20 | 7/8 |
| 126 | 1/4-20 | 1 |
| 127 | 1/4-20 | 1-1/4 |
| 128 | 1/4-20 | 1-3/8 |
| 129 | 1/4-20 | 1-1/2 |
| 130 | 1/4-20 | 1-3/4 |
| 131 | 1/4-20 | 2 |
| 132 | 1/4-28 | 1 |
| 133 | 1/4-28 | 1-1/16 |
| 134 | 1/4-28 | 1-3/32 |
| 135 | 5/16-18 | 3/8 |
| 136 | 5/16-18 | 1/2 |
| 137 | 5/16-18 | 3/4 |
| 138 | 5/16-18 | 1 |
| 139 | 3/8-16 | 1/2 |
| 140 | 3/8-16 | 3/4 |
| 141 | 3/8-16 | 1 |


NYLON BUTTON HEAD SOCKET SCREWS

| THREAD SIZE | A | B | C | D | KEY ENGAGEMENT |
|-------------|-----------|-----------|------|------|----------------|
| 6-32 | .250-.262 | .063-.073 | .015 | .078 | .044 |
| 1/4-20 | .419-.437 | .122-.132 | .031 | .156 | .087 |

Part Number: S28 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 057 | 6-32 | 1/8 |
| 058 | 6-32 | 3/16 |
| 059 | 6-32 | 1/4 |
| 060 | 6-32 | 5/16 |
| 061 | 6-32 | 3/8 |
| 062 | 6-32 | 7/16 |
| 063 | 6-32 | 1/2 |
| 064 | 6-32 | 9/16 |
| 065 | 6-32 | 5/8 |
| 067 | 6-32 | 3/4 |
| 142 | 6-32 | 7/8 |
| 068 | 6-32 | 1 |
| 070 | 6-32 | 1-1/4 |


| CODE | THREAD | LENGTH |
|------|--------|--------|
| 071 | 6-32 | 1-1/2 |
| 117 | 1/4-20 | 1/4 |
| 118 | 1/4-20 | 5/16 |
| 119 | 1/4-20 | 3/8 |
| 120 | 1/4-20 | 7/16 |
| 121 | 1/4-20 | 1/2 |
| 122 | 1/4-20 | 5/8 |
| 123 | 1/4-20 | 3/4 |
| 125 | 1/4-20 | 7/8 |
| 126 | 1/4-20 | 1 |
| 127 | 1/4-20 | 1-1/4 |
| 129 | 1/4-20 | 1-1/2 |



NYLON CARRIAGE BOLTS

Part Number: S30 + Code

| CODE | THREAD | LENGTH | A | B | C |
|------|--------|--------|------|------|------|
| 121 | 1/4-20 | 1/2 | .594 | .145 | .156 |
| 123 | 1/4-20 | 3/4 | .594 | .145 | .156 |




NYLON MACHINE SCREWS, SLOTTED TRUSS

| THREAD SIZE | A | B | C | D |
|-------------|------|------|------|------|
| 6-32 | .300 | .075 | .040 | .045 |


Part Number: S29 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 057 | 6-32 | 1/8 |
| 058 | 6-32 | 3/16 |
| 059 | 6-32 | 1/4 |
| 060 | 6-32 | 5/16 |
| 061 | 6-32 | 3/8 |
| 062 | 6-32 | 7/16 |
| 063 | 6-32 | 1/2 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 064 | 6-32 | 9/16 |
| 065 | 6-32 | 5/8 |
| 067 | 6-32 | 3/4 |
| 142 | 6-32 | 7/8 |
| 068 | 6-32 | 1 |
| 070 | 6-32 | 1-1/4 |
| 071 | 6-32 | 1-1/2 |



NYLON HEX CAP SCREWS



Part Numbers: **Slotted: S57 + Code**
 Unslotted: S58 + Code


| CODE | THREAD | LENGTH |
|------|---------|--------|
| 001 | 1/4-20 | 1/2 |
| 002 | 1/4-20 | 3/4 |
| 003 | 1/4-20 | 1 |
| 004 | 1/4-20 | 1-1/4 |
| 005 | 1/4-20 | 1-1/2 |
| 006 | 1/4-20 | 2 |
| 007 | 1/4-20 | 2-1/2 |
| 008 | 1/4-20 | 3 |
| 009 | 5/16-18 | 1/2 |
| 010 | 5/16-18 | 3/4 |
| 011 | 5/16-18 | 1 |
| 012 | 5/16-18 | 1-1/4 |
| 013 | 5/16-18 | 1-1/2 |

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 014 | 5/16-18 | 2 |
| 015 | 5/16-18 | 2-1/2 |
| 016 | 5/16-18 | 3 |
| 017 | 3/8-16 | 1/2 |
| 018 | 3/8-16 | 3/4 |
| 019 | 3/8-16 | 1 |
| 020 | 3/8-16 | 1-1/4 |
| 021 | 3/8-16 | 1-1/2 |
| 022 | 3/8-16 | 2 |
| 023 | 3/8-16 | 2-1/2 |
| 024 | 3/8-16 | 3 |
| 025 | 1/2-13 | 1/2 |
| 026 | 1/2-13 | 3/4 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 027 | 1/2-13 | 1 |
| 028 | 1/2-13 | 1-1/4 |
| 029 | 1/2-13 | 1-1/2 |
| 030 | 1/2-13 | 2 |
| 031 | 1/2-13 | 2-1/2 |
| 032 | 1/2-13 | 3 |
| 033 | 5/8-11 | 3/4 |
| 034 | 5/8-11 | 1 |
| 035 | 5/8-11 | 1-1/2 |
| 036 | 5/8-11 | 2 |
| 037 | 5/8-11 | 2-1/2 |
| 038 | 5/8-11 | 3 |

- Bolts larger than 1-1/2" may not be fully threaded
- Thread Portion: 2x the diameter + 1/4"

NYLON HEX BOLTS




Part Number: A19 + Code

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 010 | 1/4-20 | 3-1/2 |
| 011 | 1/4-20 | 4 |
| 012 | 1/4-20 | 4-1/2 |
| 013 | 1/4-20 | 5 |
| 014 | 1/4-20 | 6 |
| 023 | 5/16-18 | 3-1/2 |
| 024 | 5/16-18 | 4 |
| 025 | 5/16-18 | 4-1/2 |
| 026 | 5/16-18 | 5 |
| 027 | 5/16-18 | 6 |
| 036 | 3/8-16 | 3-1/2 |
| 037 | 3/8-16 | 4 |
| 038 | 3/8-16 | 4-1/2 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 039 | 3/8-16 | 5 |
| 040 | 3/8-16 | 6 |
| 048 | 1/2-13 | 3-1/2 |
| 049 | 1/2-13 | 4 |
| 050 | 1/2-13 | 4-1/2 |
| 051 | 1/2-13 | 5 |
| 052 | 1/2-13 | 6 |
| 056 | 5/8-11 | 3-1/2 |
| 057 | 5/8-11 | 4 |
| 058 | 5/8-11 | 4-1/2 |
| 059 | 5/8-11 | 5 |
| 060 | 5/8-11 | 6 |

NYLON SOCKET CAP SCREWS



Part Number: A12 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 001 | 4-40 | 1/8 |
| 002 | 4-40 | 3/16 |
| 003 | 4-40 | 1/4 |
| 004 | 4-40 | 5/16 |
| 005 | 4-40 | 3/8 |
| 006 | 4-40 | 7/16 |
| 007 | 4-40 | 1/2 |
| 008 | 4-40 | 5/8 |
| 009 | 4-40 | 11/16 |
| 010 | 4-40 | 3/4 |
| 011 | 4-40 | 7/8 |
| 012 | 4-40 | 1 |
| 013 | 4-40 | 1-1/8 |
| 014 | 4-40 | 1-1/4 |
| 015 | 6-32 | 1/8 |
| 016 | 6-32 | 3/16 |
| 017 | 6-32 | 1/4 |
| 018 | 6-32 | 5/16 |
| 019 | 6-32 | 3/8 |
| 020 | 6-32 | 7/16 |
| 021 | 6-32 | 1/2 |
| 022 | 6-32 | 5/8 |
| 023 | 6-32 | 3/4 |
| 024 | 6-32 | 1 |
| 025 | 6-32 | 1-1/8 |
| 026 | 6-32 | 1-1/4 |
| 027 | 6-32 | 1-1/2 |
| 028 | 6-32 | 1-3/4 |
| 029 | 8-32 | 1/8 |
| 030 | 8-32 | 3/16 |
| 031 | 8-32 | 1/4 |
| 032 | 8-32 | 5/16 |
| 033 | 8-32 | 3/8 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 034 | 8-32 | 7/16 |
| 035 | 8-32 | 1/2 |
| 036 | 8-32 | 5/8 |
| 037 | 8-32 | 3/4 |
| 038 | 8-32 | 1 |
| 039 | 8-32 | 1-1/8 |
| 040 | 8-32 | 1-1/4 |
| 041 | 8-32 | 1-3/8 |
| 042 | 8-32 | 1-1/2 |
| 043 | 8-32 | 1-3/4 |
| 044 | 8-32 | 2 |
| 045 | 10-24 | 1/8 |
| 046 | 10-32 | 3/16 |
| 047 | 10-32 | 1/4 |
| 048 | 10-32 | 5/16 |
| 049 | 10-32 | 3/8 |
| 050 | 10-32 | 1/2 |
| 051 | 10-32 | 5/8 |
| 052 | 10-32 | 3/4 |
| 053 | 10-32 | 1 |
| 054 | 10-32 | 1-1/4 |
| 055 | 10-32 | 1-1/2 |
| 056 | 1/4-20 | 1/4 |
| 057 | 1/4-20 | 5/16 |
| 058 | 1/4-20 | 3/8 |
| 059 | 1/4-20 | 1/2 |
| 060 | 1/4-20 | 5/8 |
| 061 | 1/4-20 | 3/4 |
| 062 | 1/4-20 | 1 |
| 063 | 1/4-20 | 1-1/4 |
| 064 | 1/4-20 | 1-1/2 |
| 065 | 1/4-20 | 1/3 |
| 066 | 1/4-20 | 2 |

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 067 | 5/16-18 | 1/2 |
| 068 | 5/16-18 | 3/4 |
| 069 | 5/16-18 | 1 |
| 070 | 5/16-18 | 1-1/4 |
| 071 | 5/16-18 | 1-1/2 |
| 072 | 5/16-18 | 2 |
| 073 | 5/16-18 | 2-1/2 |
| 074 | 5/16-18 | 3 |
| 075 | 3/8-16 | 1/2 |
| 076 | 3/8-16 | 3/4 |
| 077 | 3/8-16 | 1 |
| 078 | 3/8-16 | 1-1/4 |
| 079 | 3/8-16 | 1-1/2 |
| 080 | 3/8-16 | 2 |
| 081 | 3/8-16 | 2-1/2 |
| 082 | 3/8-16 | 3 |
| 083 | 1/2-13 | 1/2 |
| 084 | 1/2-13 | 3/4 |
| 085 | 1/2-13 | 1 |
| 086 | 1/2-13 | 1-1/4 |
| 087 | 1/2-13 | 1-1/2 |
| 088 | 1/2-13 | 2 |
| 089 | 1/2-13 | 2-1/2 |
| 090 | 1/2-13 | 3 |
| 091 | 5/8-11 | 1/2 |
| 092 | 5/8-11 | 3/4 |
| 093 | 5/8-11 | 1 |
| 094 | 5/8-11 | 1-1/2 |
| 095 | 5/8-11 | 2 |
| 096 | 5/8-11 | 2-1/2 |
| 097 | 5/8-11 | 3 |

NYLON SOCKET CAP SCREWS (CONTINUED)



Part Number: A12 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 116 | 4-40 | 1-3/8 |
| 117 | 4-40 | 1-1/2 |
| 118 | 6-32 | 7/8 |
| 119 | 6-40 | 1/4 |
| 120 | 6-40 | 3/8 |
| 121 | 6-40 | 3/4 |
| 122 | 6-40 | 1 |
| 123 | 10-24 | 3/16 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 124 | 10-24 | 1/4 |
| 125 | 10-24 | 5/16 |
| 126 | 10-24 | 3/8 |
| 127 | 10-24 | 1/2 |
| 128 | 10-24 | 5/8 |
| 129 | 10-24 | 3/4 |
| 130 | 10-24 | 1 |
| 131 | 10-24 | 1-1/4 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 132 | 10-24 | 1-1/2 |
| 133 | 10-32 | 1/8 |
| 134 | 10-32 | 2 |
| 135 | 1/4-20 | 2-1/2 |
| 136 | 1/4-28 | 3/16 |
| 137 | 1/4-28 | 3/8 |
| 138 | 1/4-28 | 3/4 |
| 139 | 1/4-28 | 1 |

KNURLED HEAD THUMB SCREWS



Part Number: E14 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 001 | 4-40 | 3/16 |
| 002 | 4-40 | 1/4 |
| 003 | 4-40 | 3/8 |
| 004 | 4-40 | 1/2 |
| 005 | 4-40 | 3/4 |
| 006 | 6-32 | 1/4 |
| 007 | 6-32 | 3/8 |
| 008 | 6-32 | 1/2 |
| 009 | 6-32 | 3/4 |
| 010 | 6-32 | 1 |
| 011 | 8-32 | 3/16 |
| 012 | 8-32 | 3/8 |
| 013 | 8-32 | 1/2 |
| 014 | 8-32 | 3/4 |
| 015 | 8-32 | 1 |
| 016 | 10-24 | 1/2 |
| 017 | 10-24 | 3/4 |
| 018 | 10-24 | 1 |
| 019 | 10-24 | 1-1/4 |
| 020 | 10-24 | 2 |
| 021 | 10-32 | 3/8 |
| 022 | 10-32 | 1/2 |

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 023 | 10-32 | 3/4 |
| 024 | 10-32 | 1 |
| 025 | 10-32 | 1-1/16 |
| 026 | 10-32 | 1-1/2 |
| 027 | 10-32 | 2 |
| 028 | 1/4-20 | 1/2 |
| 029 | 1/4-20 | 3/4 |
| 030 | 1/4-20 | 1 |
| 031 | 1/4-20 | 1-1/4 |
| 032 | 1/4-20 | 1-1/2 |
| 033 | 5/16-18 | 1/2 |
| 034 | 5/16-18 | 1 |
| 035 | 5/16-18 | 1-1/2 |
| 036 | 5/16-18 | 2 |
| 037 | 3/8-16 | 1/2 |
| 038 | 3/8-16 | 1 |
| 039 | 3/8-16 | 1-1/2 |
| 040 | 3/8-16 | 2 |
| 041 | 1/2-13 | 1/2 |
| 042 | 1/2-13 | 1 |
| 043 | 1/2-13 | 1-1/2 |
| 044 | 1/2-13 | 2 |

PLASTIC THUMB SCREWS




Part Numbers: NYLON: E30 + Code
DELRIN: E31 + Code

| CODE | THREAD SIZE | LENGTH | HEAD DIAMETER 3/16 THICK | SHOULDER UNDER HEAD 1/4 DIA.-1/8 LONG |
|------|-------------|--------|-----------------------------|---|
| 001 | 8-32 | 1/4 | 3/8 | NO |
| 002 | 8-32 | 5/16 | 3/8 | NO |
| 003 | 8-32 | 3/8 | 3/8 | NO |
| 004 | 8-32 | 3/8 | 1/2 | NO |
| 005 | 8-32 | 1/2 | 1/2 | NO |
| 006 | 8-32 | 9/16 | 3/8 | YES |
| 008 | 10-32 | 3/8 | 1/2 | NO |

- Thick-headed, deep-fluted for positive finger grip
- Optional, under head washer-like bases
- The advantages of Nylon, Delrin for locking, adjusting, clamping applications

ECONOMY GRADE NYLON THUMB SCREWS



Part Numbers: Unslotted: E11 + Code
Slotted: E12 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 001 | 4-40 | 1/4 |
| 002 | 4-40 | 3/8 |
| 003 | 4-40 | 1/2 |
| 004 | 4-40 | 5/8 |
| 005 | 4-40 | 3/4 |
| 006 | 6-32 | 1/4 |
| 007 | 6-32 | 3/8 |
| 008 | 6-32 | 1/2 |
| 009 | 6-32 | 5/8 |
| 010 | 6-32 | 3/4 |
| 011 | 6-32 | 1 |
| 012 | 8-32 | 3/8 |
| 013 | 8-32 | 1/2 |
| 014 | 8-32 | 3/4 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 015 | 8-32 | 1 |
| 016 | 8-32 | 1-1/4 |
| 017 | 10-32 | 3/8 |
| 018 | 10-32 | 1/2 |
| 019 | 10-32 | 3/4 |
| 020 | 10-32 | 1 |
| 021 | 10-32 | 1-1/4 |
| 022 | 10-32 | 1-1/2 |
| 023 | 1/4-20 | 1/2 |
| 024 | 1/4-20 | 3/4 |
| 025 | 1/4-20 | 1 |
| 026 | 1/4-20 | 1-1/4 |
| 027 | 1/4-20 | 1-1/2 |


- Allows frequent application adjustments
- Thick, knurled heads for secure hand grip
- Slotted and unslotted
- Tolerances ± .010

NYLON STEEL-CORE SCREWS

Part Numbers: Round Head: S31 + Code
Fillister Head: S32 + Code
Flat Head: S33 + Code
Round Washer Head: S34 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 001 | 6-32 | 1/4 |
| 002 | 6-32 | 3/8 |
| 003 | 6-32 | 1/2 |
| 006 | 8-32 | 3/8 |
| 007 | 8-32 | 1/2 |
| 010 | 10-32 | 3/8 |
| 011 | 10-32 | 1/2 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 012 | 10-32 | 3/4 |
| 013 | 10-32 | 1 |
| 014 | 1/4-20 | 3/8 |
| 015 | 1/4-20 | 1/2 |
| 016 | 1/4-20 | 5/8 |
| 017 | 1/4-20 | 3/4 |
| 018 | 1/4-20 | 1 |



- For use in higher stress applications
- Greater torque and shear strength than nylon
- Natural colored nylon outer threaded screw with cadmium plated, hardened steel core
- Provides insulating, locking, and sealing properties of nylon plus strength of steel

PVC MACHINED SCREWS POLYVINYL CHLORIDE

Please refer to illustrations of head styles on page 8

Part Numbers: Round Head: S52 + Code
Fillister Head: S53 + Code
Flat Head: S54 + Code
Pan Head: S55 + Code
Hex Head: S56 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 001 | 2-56 | 1/8 |
| 002 | 2-56 | 1/4 |
| 003 | 2-56 | 3/8 |
| 004 | 2-56 | 1/2 |
| 005 | 4-40 | 1/4 |
| 006 | 4-40 | 3/8 |
| 007 | 4-40 | 1/2 |
| 008 | 4-40 | 5/8 |
| 009 | 4-40 | 3/4 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 010 | 6-32 | 1/4 |
| 011 | 6-32 | 3/8 |
| 012 | 6-32 | 1/2 |
| 013 | 6-32 | 5/8 |
| 014 | 6-32 | 3/4 |
| 015 | 6-32 | 1 |
| 016 | 8-32 | 1/4 |
| 017 | 8-32 | 3/8 |
| 018 | 8-32 | 1/2 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 019 | 8-32 | 5/8 |
| 020 | 8-32 | 1 |
| 021 | 10-32 | 3/8 |
| 022 | 10-32 | 1/2 |
| 023 | 10-32 | 5/8 |
| 024 | 10-32 | 3/4 |
| 025 | 10-32 | 1 |
| 029 | 8-32 | 3/4 |
| 030 | 10-24 | 1/2 |

PVC CAP SCREWS

Please refer to illustrations of head styles on page 8

Part Numbers: Flat Head: S60 + Code
Round Head: S61 + Code

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 001 | 1/4-20 | 1/2 |
| 002 | 1/4-20 | 3/4 |
| 003 | 1/4-20 | 1 |
| 004 | 1/4-20 | 1-1/4 |
| 005 | 1/4-20 | 1-1/2 |
| 006 | 1/4-20 | 1-3/4 |
| 007 | 1/4-20 | 2 |
| 008 | 1/4-20 | 2-1/4 |
| 009 | 1/4-20 | 2-1/2 |
| 010 | 1/4-20 | 3 |
| 011 | 1/4-20 | 3-1/2 |
| 012 | 1/4-20 | 4 |
| 013 | 5/16-18 | 1/2 |
| 014 | 5/16-18 | 3/4 |
| 015 | 5/16-18 | 1 |
| 016 | 5/16-18 | 1-1/4 |
| 017 | 5/16-18 | 1-1/2 |
| 018 | 5/16-18 | 1-3/4 |
| 019 | 5/16-18 | 2 |
| 020 | 5/16-18 | 2-1/4 |
| 021 | 5/16-18 | 2-1/2 |
| 022 | 5/16-18 | 3 |
| 023 | 5/16-18 | 3-1/2 |
| 024 | 5/16-18 | 4 |
| 025 | 3/8-16 | 1/2 |

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 026 | 3/8-16 | 3/4 |
| 027 | 3/8-16 | 1 |
| 028 | 3/8-16 | 1-1/4 |
| 029 | 3/8-16 | 1-1/2 |
| 030 | 3/8-16 | 2 |
| 031 | 3/8-16 | 2-1/4 |
| 032 | 3/8-16 | 2-1/2 |
| 033 | 3/8-16 | 3 |
| 034 | 3/8-16 | 3-1/2 |
| 035 | 3/8-16 | 4 |
| 036 | 1/2-13 | 1 |
| 037 | 1/2-13 | 1-1/4 |
| 038 | 1/2-13 | 1-1/2 |
| 039 | 1/2-13 | 1-3/4 |
| 040 | 1/2-13 | 2 |
| 041 | 1/2-13 | 2-1/4 |
| 042 | 1/2-13 | 2-1/2 |
| 043 | 1/2-13 | 3 |
| 044 | 1/2-13 | 3-1/2 |
| 045 | 1/2-13 | 4 |
| 049 | 1/4-20 | 3/8 |
| 050 | 1/4-20 | 1-1/8 |
| 051 | 5/16-18 | 5/8 |
| 053 | 1/2-13 | 4-1/2 |

Also available in PVDF and CPVC

PVC CAP SCREWS & MACHINE BOLTS

Please refer to illustrations of head styles on page 8

Part Numbers: Hex Head: S84 + Code
Fillister Head: S85 + Code

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 001 | 1/4-20 | 1/2 |
| 002 | 1/4-20 | 3/4 |
| 003 | 1/4-20 | 1 |
| 004 | 1/4-20 | 1-1/4 |
| 005 | 1/4-20 | 1-1/2 |
| 006 | 1/4-20 | 1-3/4 |
| 007 | 1/4-20 | 2 |
| 008 | 1/4-20 | 2-1/4 |
| 009 | 1/4-20 | 2-1/2 |
| 010 | 1/4-20 | 3 |
| 011 | 1/4-20 | 3-1/2 |
| 012 | 1/4-20 | 4 |
| 013 | 1/4-20 | 4-1/2 |
| 014 | 1/4-20 | 5 |
| 015 | 1/4-20 | 5-1/2 |
| 016 | 1/4-20 | 6 |
| 017 | 5/16-18 | 1/2 |
| 018 | 5/16-18 | 3/4 |
| 019 | 5/16-18 | 1 |
| 020 | 5/16-18 | 1-1/4 |
| 021 | 5/16-18 | 1-1/2 |
| 022 | 5/16-18 | 1-3/4 |
| 023 | 5/16-18 | 2 |
| 024 | 5/16-18 | 2-1/4 |
| 025 | 5/16-18 | 2-1/2 |
| 026 | 5/16-18 | 3 |
| 027 | 5/16-18 | 3-1/2 |
| 028 | 5/16-18 | 4 |
| 029 | 5/16-18 | 4-1/2 |
| 030 | 5/16-18 | 5 |
| 031 | 5/16-18 | 5-1/2 |
| 032 | 5/16-18 | 6 |
| 033 | 3/8-16 | 1/2 |
| 034 | 3/8-16 | 3/4 |
| 035 | 3/8-16 | 1 |
| 036 | 3/8-16 | 1-1/4 |
| 037 | 3/8-16 | 1-1/2 |
| 038 | 3/8-16 | 1-3/4 |
| 039 | 3/8-16 | 2 |
| 040 | 3/8-16 | 2-1/4 |
| 041 | 3/8-16 | 2-1/2 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 042 | 3/8-16 | 3 |
| 043 | 3/8-16 | 3-1/2 |
| 044 | 3/8-16 | 4 |
| 045 | 3/8-16 | 4-1/2 |
| 046 | 3/8-16 | 5 |
| 047 | 3/8-16 | 5-1/2 |
| 048 | 3/8-16 | 6 |
| 049 | 1/2-13 | 1/2 |
| 050 | 1/2-13 | 3/4 |
| 051 | 1/2-13 | 1 |
| 052 | 1/2-13 | 1-1/4 |
| 053 | 1/2-13 | 1-1/2 |
| 054 | 1/2-13 | 1-3/4 |
| 055 | 1/2-13 | 2 |
| 056 | 1/2-13 | 2-1/4 |
| 057 | 1/2-13 | 2-1/2 |
| 058 | 1/2-13 | 3 |
| 059 | 1/2-13 | 3-1/2 |
| 060 | 1/2-13 | 4 |
| 061 | 1/2-13 | 4-1/2 |
| 062 | 1/2-13 | 5 |
| 063 | 1/2-13 | 5-1/2 |
| 064 | 1/2-13 | 6 |
| 065 | 5/8-11 | 2 |
| 066 | 5/8-11 | 2-1/2 |
| 067 | 5/8-11 | 3 |
| 068 | 5/8-11 | 3-1/2 |
| 069 | 5/8-11 | 4 |
| 070 | 5/8-11 | 4-1/2 |
| 071 | 5/8-11 | 5 |
| 072 | 5/8-11 | 5-1/2 |
| 073 | 5/8-11 | 6 |
| 074 | 3/4-10 | 2 |
| 075 | 3/4-10 | 2-1/2 |
| 076 | 3/4-10 | 3 |
| 077 | 3/4-10 | 3-1/2 |
| 078 | 3/4-10 | 4 |
| 079 | 3/4-10 | 4-1/2 |
| 080 | 3/4-10 | 5 |
| 081 | 3/4-10 | 5-1/2 |
| 082 | 3/4-10 | 6 |

Not all sizes are fully threaded Also available in PVDF and CPVC

TEFLON® (TFE) MACHINED SCREWS

Please refer to illustrations of head styles on page 8

Part Numbers: Hex Head: S47 + Code

Round Head: S48 + Code

Fillister Head: S49 + Code

Flat Head: S50 + Code

Pan Head: S51 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 001 | 2-56 | 1/8 |
| 002 | 2-56 | 1/4 |
| 003 | 4-40 | 1/4 |
| 004 | 4-40 | 3/8 |
| 005 | 4-40 | 1/2 |
| 006 | 4-40 | 5/8 |
| 007 | 4-40 | 3/4 |
| 008 | 4-40 | 1 |
| 009 | 6-32 | 1/4 |
| 010 | 6-32 | 3/8 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 011 | 6-32 | 1/2 |
| 012 | 6-32 | 5/8 |
| 013 | 6-32 | 3/4 |
| 014 | 6-32 | 1 |
| 015 | 8-32 | 1/4 |
| 016 | 8-32 | 3/8 |
| 017 | 8-32 | 1/2 |
| 018 | 8-32 | 5/8 |
| 019 | 8-32 | 3/4 |
| 020 | 8-32 | 1 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 021 | 10-32 | 3/8 |
| 022 | 10-32 | 1/2 |
| 023 | 10-32 | 5/8 |
| 024 | 10-32 | 3/4 |
| 025 | 10-32 | 1 |
| 026 | 1/4-20 | 3/8 |
| 027 | 1/4-20 | 1/2 |
| 028 | 1/4-20 | 5/8 |
| 029 | 1/4-20 | 3/4 |
| 030 | 1/4-20 | 1 |

- Choice for extreme environmental conditions
- Highest heat resistance to 500°F
- Resistant to all organic solvents
- Moisture absorption is zero
- Electrical properties are outstanding
- Tensile shear and torque strength are low
- Extremely low friction co-efficient

TEFLON® HEX CAP SCREWS


Part Number: A23 + Code

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 001 | 1/4-20 | 1/2 |
| 002 | 1/4-20 | 3/4 |
| 003 | 1/4-20 | 1 |
| 004 | 1/4-20 | 1-1/2 |
| 005 | 1/4-20 | 2 |
| 006 | 5/16-18 | 1/2 |
| 007 | 5/16-18 | 3/4 |
| 008 | 5/16-18 | 1 |
| 009 | 5/16-18 | 1-1/2 |
| 010 | 5/16-18 | 2 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 011 | 3/8-16 | 3/4 |
| 012 | 3/8-16 | 1 |
| 013 | 3/8-16 | 1-1/2 |
| 014 | 3/8-16 | 2 |
| 015 | 3/8-16 | 2-1/2 |
| 016 | 1/2-13 | 1 |
| 017 | 1/2-13 | 1-1/2 |
| 018 | 1/2-13 | 2 |
| 019 | 1/2-13 | 2-1/2 |
| 020 | 1/2-13 | 3 |

- Unslotted

MOLDED ISOPLAST HEX HEAD CAP SCREWS




Part Number: K39 + Code

| CODE | THREAD | LENGTH |
|------|---------|--------|
| 100 | 1/4-20 | 1/2 |
| 101 | 1/4-20 | 3/4 |
| 102 | 1/4-20 | 1 |
| 103 | 1/4-20 | 1-1/4 |
| 104 | 1/4-20 | 1-1/2 |
| 001 | 5/16-18 | 1-1/2 |
| 002 | 5/16-18 | 2 |
| 003 | 3/8-16 | 1-1/2 |
| 004 | 3/8-16 | 2 |
| 005 | 3/8-16 | 2-1/2 |
| 006 | 3/8-16 | 3 |
| 007 | 5/8-11 | 1-1/2 |
| 008 | 5/8-11 | 2 |
| 009 | 5/8-11 | 2-1/2 |
| 010 | 5/8-11 | 3 |
| 011 | 5/8-11 | 3-1/2 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 012 | 5/8-11 | 4 |
| 013 | 5/8-11 | 4-1/2 |
| 014 | 5/8-11 | 5 |
| 015 | 5/8-11 | 5-1/2 |
| 016 | 5/8-11 | 6 |
| 017 | 3/4-10 | 1-1/2 |
| 018 | 3/4-10 | 2 |
| 019 | 3/4-10 | 2-1/2 |
| 020 | 3/4-10 | 3 |
| 021 | 3/4-10 | 3-1/2 |
| 022 | 3/4-10 | 4 |
| 023 | 3/4-10 | 4-1/2 |
| 024 | 3/4-10 | 5 |
| 025 | 3/4-10 | 5-1/2 |
| 026 | 3/4-10 | 6 |

40% Fiberglass Filled

MOLDED ISOPLAST FLANGED HEX HEAD CAP SCREWS



Part Number: K40 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 001 | 1/4-20 | 1/2 |
| 002 | 1/4-20 | 5/8 |
| 003 | 1/4-20 | 3/4 |
| 004 | 1/4-20 | 7/8 |
| 005 | 1/4-20 | 1 |
| 006 | 1/4-20 | 1-1/4 |
| 007 | 1/4-20 | 1-3/8 |
| 008 | 1/4-20 | 1-1/2 |
| 009 | 3/8-16 | 1/2 |
| 010 | 3/8-16 | 5/8 |
| 011 | 3/8-16 | 3/4 |
| 012 | 3/8-16 | 7/8 |
| 013 | 3/8-16 | 1 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 014 | 3/8-16 | 1-1/4 |
| 140 | 3/8-16 | 1-1/2 |
| 141 | 3/8-16 | 2 |
| 142 | 3/8-16 | 2-1/2 |
| 143 | 3/8-16 | 3 |
| 015 | 1/2-13 | 3/4 |
| 019 | 1/2-13 | 7/8 |
| 020 | 1/2-13 | 1 |
| 021 | 1/2-13 | 1-1/4 |
| 022 | 1/2-13 | 1-3/8 |
| 023 | 1/2-13 | 1-1/2 |
| 024 | 1/2-13 | 1-5/8 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 025 | 1/2-13 | 1-3/4 |
| 026 | 1/2-13 | 1-7/8 |
| 027 | 1/2-13 | 2 |
| 028 | 1/2-13 | 2-1/4 |
| 029 | 1/2-13 | 2-3/8 |
| 030 | 1/2-13 | 2-1/2 |
| 031 | 1/2-13 | 2-5/8 |
| 032 | 1/2-13 | 2-3/4 |
| 033 | 1/2-13 | 3 |
| 034 | 1/2-13 | 3-1/4 |
| 035 | 1/2-13 | 3-3/8 |
| 036 | 1/2-13 | 3-1/2 |

40% Fiberglass Filled

MOLDED NYLON METRIC SCREWS

Please refer to illustrations of head styles on page 8

Part Numbers:

- Slotted Economy Grade Thumb Screw:** K61 + Code
- Slotted Hex Head:** K60 + Code
- Grub Set Screw:** K62 + Code
- Socket Head Cap:** K63 + Code
- Oval Head:** K64 + Code
- Fillister Head:** K65 + Code
- Pan Head:** K66 + Code
- Cheese Head:** K67 + Code
- Hex Head:** K68 + Code
- Flat Head:** K69 + Code

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 002 | M4 | 3 |
| 008 | M3 | 4 |
| 015 | M3 | 5 |
| 018 | M6 | 5 |
| 022 | M3 | 6 |
| 023 | M4 | 6 |
| 024 | M5 | 6 |
| 029 | M3 | 8 |
| 030 | M4 | 8 |
| 031 | M5 | 8 |
| 032 | M6 | 8 |
| 036 | M3 | 10 |
| 037 | M4 | 10 |
| 038 | M5 | 10 |
| 039 | M6 | 10 |
| 040 | M8 | 10 |
| 043 | M3 | 12 |
| 044 | M4 | 12 |
| 045 | M5 | 12 |
| 046 | M6 | 12 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 050 | M3 | 16 |
| 051 | M4 | 16 |
| 052 | M5 | 16 |
| 053 | M6 | 16 |
| 054 | M8 | 16 |
| 055 | M10 | 16 |
| 064 | M3 | 20 |
| 065 | M4 | 20 |
| 066 | M5 | 20 |
| 067 | M6 | 20 |
| 068 | M8 | 20 |
| 069 | M10 | 20 |
| 071 | M3 | 25 |
| 072 | M4 | 25 |
| 073 | M5 | 25 |
| 074 | M6 | 25 |
| 075 | M8 | 25 |
| 076 | M10 | 25 |
| 078 | M3 | 30 |
| 079 | M4 | 30 |

| CODE | THREAD | LENGTH |
|------|--------|--------|
| 080 | M5 | 30 |
| 081 | M6 | 30 |
| 082 | M8 | 30 |
| 083 | M10 | 30 |
| 085 | M3 | 35 |
| 086 | M4 | 35 |
| 087 | M5 | 35 |
| 088 | M6 | 35 |
| 089 | M8 | 35 |
| 090 | M10 | 35 |
| 093 | M4 | 40 |
| 094 | M5 | 40 |
| 095 | M6 | 40 |
| 102 | M6 | 45 |
| 109 | M6 | 50 |
| 110 | M8 | 50 |
| 111 | M10 | 50 |
| 123 | M6 | 60 |
| 125 | M10 | 60 |

- Not all head styles available in all sizes
- Precision molded of white nylon to ISO metric standards
- Tough, high strength-to-weight ratio, corrosion resistant, electrically & thermally insulated
- Thread Pitch:
 - M3 X .5
 - M4 X .7
 - M5 X .8
 - M6 X 1.0
 - M8 X 1.25
 - M10 X 1.5
- Phillips Drive available on request. Minimums apply.